

Work Order ID 141513

Friday, February 05, 2016 8:08:38 AM

141513

Page 1

Item ID: D3500-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle
 Start Date: 2/3/2016 Start Qty: 20.00 ***20*** Cust Item ID:
 Required Date: 2/3/2016 Req'd Qty: 20.00 ***20*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: FEB 08 2016 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3500	C

100	HAAS CNC VERTICAL MACHINING #1	0.00				20	Ø		DAS 20 9-80 16-02-25
-----	--------------------------------	------	--	--	--	----	---	--	----------------------------

100
 HAAS 1
 HAAS CNC vertical machine #1
 Memo
 Program Batch No. 141513 Double check by: SL 1-Machine Step No 1
 per Folio FA641 and inspect per attached Dimension Sheets2-Machine Step
 No 2 per Folio FA641 and inspect per attached Dimension Sheets3-Machine
 Step No 3 per Folio FA641 and inspect p

110	QC1- Inspection performed by CMM	0.00				20	Ø		DAS 20 9-80 16-02-25
-----	----------------------------------	------	--	--	--	----	---	--	----------------------------

110
 QC
 Quality Control
 Memo
 Inspect on CMM as per folio CMMA031.
 DWG REV: C
 CMM PROG. REV: _____

120	QC8- Inspect parts - second check	0.00							2163-4
-----	-----------------------------------	------	--	--	--	--	--	--	--------

120
 QC
 Quality Control
 Memo
 0.01

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
		OTHER : _____							

Picklist Print

Friday, February 05, 2016 8:08:41 AM

Page 1

Work Order ID: 141513

141513

Parent Item: D3500-1

D3500-1

Parent Item Name: Saddle

Start Date: 2/3/2016

Required Date: 2/3/2016

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP Rev:A New Issue 06-06-15 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6102-013 /		Manufactured	No			100	Each	89.0000	1	20			
D6102-013									**	20			
Saddle Billet													
						<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>					
						MAT046	89						
						138664	9						
						138975	60						
						139703	20						

DAS
20 16-02-22
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

DART AEROSPACE LTD		Work Order:	141513
Description: Saddle		Part Number:	D3500-1
Inspection Dwg: D3500	Rev: C	DSK:	Rev:
			Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
A	0.483	0.490		.485	.485	.485	.485	.485
B	1.175	1.185		1.180	1.180	1.180	1.180	1.180
C	3.145	3.155		3.150	3.150	3.150	3.150	3.150
D	1.175	1.185		1.180	1.180	1.180	1.180	1.180
E	0.365	0.385		.375	.375	.375	.375	.375
F	0.490	0.510		.500	.500	.497	.496	.499
H	R0.515	R0.535		.525	.525	.525	.525	.525
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.584	1.583	1.583	1.5825	1.5825
J	0.240	0.260		.249	.249	.250	.249	.248
K	0.490	0.510		.500	.500	.500	.500	.500
L	3.590	3.650		3.620	3.620	3.620	3.620	3.620
M	0.315	0.322		.316	.316	.316	.316	.316
N	0.256	0.262		.258	.258	.258	.258	.258
O	6.500	6.520		6.510	6.510	6.510	6.510	6.510
P	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Q	2.820	2.830		2.825	2.825	2.825	2.825	2.825
R	2.495	2.505		2.500	2.500	2.500	2.500	2.500
S	2.245	2.255		2.250	2.250	2.250	2.250	2.250
T	1.120	1.130		1.125	1.125	1.125	1.125	1.125
U	0.540	0.560		.551	.551	.550	.548	.550
V	0.793	0.803		.798	.798	.798	.798	.798
W	R.240	R.260		.250	.250	.250	.250	.250
X	0.040	0.060		.050	.050	.050	.050	.050
Y	0.100	0.120		.105	.105	.105	.105	.105
AA	R1.125	R1.145		1.133	1.134	1.133	1.129	1.1345
AB	R.490	R.510		.500	.500	.500	.500	.500
AC	0.615	0.635		.625	.625	.625	.625	.625
AD	0.240	0.260		.252	.253	.252	.253	.253
AE	1.810	1.830		1.820	1.820	1.820	1.820	1.820
AF	0.240	0.260		.248	.252	.250	.249	.251
AG	0.140	0.160		.149	.151	.150	.149	.151
AH	0.140	0.160		.145	.144	.144	.145	.144
AI	0.140	0.160		.146	.146	.146	.147	.145

Accept/Reject

Measured by:	20	Date:	16-02-23
---------------------	----	--------------	----------

Audited by:	21	Date:	16-3-4
--------------------	----	--------------	--------

Preliminary Approval:		Date:	
------------------------------	--	--------------	--

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	

DART AEROSPACE LTD		Work Order:	141513
Description: Saddle		Part Number:	D3500-1
Inspection Dwg: D3500 Rev: C DSK: Rev:		Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				6x	7x	8x	9x	10x
A	0.483	0.490		.485	.485	.485	.485	.485
B	1.175	1.185		1.180	1.180	1.180	1.180	1.180
C	3.145	3.155		3.150	3.150	3.150	3.150	3.150
D	1.175	1.185		1.180	1.180	1.180	1.180	1.180
E	0.365	0.385		.375	.375	.375	.375	.375
F	0.490	0.510		.497	.499	.497	.497	.499
H	R0.515	R0.535		.525	.525	.525	.525	.525
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.5825	1.586	1.584	1.584	1.584
J	0.240	0.260		.248	.248	.246	.247	.246
K	0.490	0.510		.500	.500	.500	.500	.500
L	3.590	3.650		3.620	3.620	3.620	3.620	3.620
M	0.315	0.322		.316	.316	.316	.316	.316
N	0.256	0.262		.258	.258	.258	.258	.258
O	6.500	6.520		6.510	6.510	6.510	6.510	6.510
P	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Q	2.820	2.830		2.825	2.825	2.825	2.825	2.825
R	2.495	2.505		2.500	2.500	2.500	2.500	2.500
S	2.245	2.255		2.250	2.250	2.250	2.250	2.250
T	1.120	1.130		1.125	1.125	1.125	1.125	1.125
U	0.540	0.560		.550	.550	.549	.550	.550
V	0.793	0.803		.798	.798	.798	.798	.798
W	R.240	R.260		.250	.250	.250	.250	.250
X	0.040	0.060		.050	.050	.050	.050	.050
Y	0.100	0.120		.105	.105	.105	.105	.105
AA	R1.125	R1.145		1.1333	1.136	1.134	1.134	1.134
AB	R.490	R.510		.500	.500	.500	.500	.500
AC	0.615	0.635		.625	.625	.625	.625	.625
AD	0.240	0.260		.251	.250	.251	.251	.252
AE	1.810	1.830		1.820	1.820	1.820	1.820	1.820
AF	0.240	0.260		.250	.252	.250	.250	.250
AG	0.140	0.160		.149	.152	.149	.149	.150
AH	0.140	0.160		.144	.144	.144	.145	.144
AI	0.140	0.160		.144	.144	.144	.145	.145

Accept/Reject

Measured by:	20	Date:	16-02-24
---------------------	----	--------------	----------

Audited by:	SL	Date:	16-3-4
--------------------	----	--------------	--------

Preliminary Approval:		Date:	
------------------------------	--	--------------	--

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	

DART AEROSPACE LTD				Work Order: 141513	
Description: Saddle				Part Number: D3500-1	
Inspection Dwg: D3500 Rev: C DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	11 $\times$	12 $\times$	13 $\times$	14 $\times$	15 $\times$
A	0.483	0.490		.485	.485	.485	.485	.485
B	1.175	1.185		1.180	1.180	1.180	1.180	1.180
C	3.145	3.155		3.150	3.150	3.150	3.150	3.150
D	1.175	1.185		1.180	1.180	1.180	1.180	1.180
E	0.365	0.385		.375	.375	.375	.375	.375
F	0.490	0.510		.496	.497	.495	.4965	.495
H	R0.515	R0.535		.525	.525	.525	.525	.525
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.582	1.585	1.585	1.584	1.581
J	0.240	0.260		.247	.247	.246	.247	.247
K	0.490	0.510		.500	.500	.500	.500	.500
L	3.590	3.650		3.620	3.620	3.620	3.620	3.620
M	0.315	0.322		.316	.316	.316	.316	.316
N	0.256	0.262		.258	.258	.258	.258	.258
O	6.500	6.520		6.510	6.510	6.510	6.510	6.510
P	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Q	2.820	2.830		2.825	2.825	2.825	2.825	2.825
R	2.495	2.505		2.500	2.500	2.500	2.500	2.500
S	2.245	2.255		2.250	2.250	2.250	2.250	2.250
T	1.120	1.130		1.125	1.125	1.125	1.125	1.125
U	0.540	0.560		.550	.551	.550	.550	.548
V	0.793	0.803		.798	.798	.798	.798	.798
W	R.240	R.260		.250	.250	.250	.250	.250
X	0.040	0.060		.050	.050	.050	.050	.050
Y	0.100	0.120		.105	.105	.105	.105	.105
AA	R1.125	R1.145		1.132	1.135	1.134	1.134	1.132
AB	R.490	R.510		.500	.500	.500	.500	.500
AC	0.615	0.635		.625	.625	.625	.625	.625
AD	0.240	0.260		.252	.251	.251	.252	.250
AE	1.810	1.830		1.820	1.820	1.820	1.820	1.820
AF	0.240	0.260		.248	.250	.250	.249	.250
AG	0.140	0.160		.147	.149	.150	.149	.149
AH	0.140	0.160		.145	.145	.142	.146	.146
AI	0.140	0.160		.146	.146	.144	.145	.150

D/Accept/Reject

Measured by: 9-80	Date: 16-02-24
Audited by: J	Date: 16-3-4
Preliminary Approval:	Date:

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	

DART AEROSPACE LTD		Work Order:	141513
Description: Saddle		Part Number:	D3500-1
Inspection Dwg: D3500 Rev: C DSK: Rev:		Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				16x	17x	18x	19x	20x
A	0.483	0.490		.485	.485	.485	.485	.485
B	1.175	1.185		1.180	1.180	1.180	1.180	1.180
C	3.145	3.155		3.150	3.150	3.150	3.150	3.150
D	1.175	1.185		1.180	1.180	1.180	1.180	1.180
E	0.365	0.385		.375	.375	.375	.375	.375
F	0.490	0.510		.497	.498	.498	.499	.496
H	R0.515	R0.535		.525	.525	.525	.525	.525
(Note: Dimension I is 0.015" over flange)								
I	R1.575	R1.595		1.582	1.581	1.586	1.585	1.583
J	0.240	0.260		.249	.248	.248	.246	.247
K	0.490	0.510		.500	.500	.500	.500	.500
L	3.590	3.650		3.620	3.620	3.620	3.620	3.620
M	0.315	0.322		.316	.316	.316	.316	.316
N	0.256	0.262		.258	.258	.258	.258	.258
O	6.500	6.520		6.510	6.510	6.510	6.510	6.510
P	5.990	6.010		6.000	6.000	6.000	6.000	6.000
Q	2.820	2.830		2.825	2.825	2.825	2.825	2.825
R	2.495	2.505		2.500	2.500	2.500	2.500	2.500
S	2.245	2.255		2.250	2.250	2.250	2.250	2.250
T	1.120	1.130		1.125	1.125	1.125	1.125	1.125
U	0.540	0.560		.550	.549	.550	.549	.549
V	0.793	0.803		.798	.798	.798	.798	.798
W	R.240	R.260		.250	.250	.250	.250	.250
X	0.040	0.060		.050	.050	.050	.050	.050
Y	0.100	0.120		.105	.105	.105	.105	.105
AA	R1.125	R1.145		1.135	1.134	1.136	1.1365	1.133
AB	R.490	R.510		.500	.500	.500	.500	.500
AC	0.615	0.635		.625	.625	.625	.625	.625
AD	0.240	0.260		.253	.253	.250	.251	.251
AE	1.810	1.830		1.820	1.820	1.820	1.820	1.820
AF	0.240	0.260		.249	.248	.251	.252	.249
AG	0.140	0.160		.149	.149	.151	.152	.148
AH	0.140	0.160		.148	.142	.144	.144	.144
AI	0.140	0.160		.158	.146	.145	.145	.145

Accept/Reject

Measured by:	20	Date:	16-02-24
Audited by:	SL	Date:	16-3-4
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	
E	15.02.26	Dimension H added	KJ	

